



SEWINGLEADER

Sew Your Imagination!

www.SewingLeader.com www.SewingBobbin.com

Catalogue

Your One-Stop Factory Partner for Sewing & Embroidery Supplies.



Since 2009

Years in thread
manufacturing



50+ Countries

Served worldwide,
consistent quality,
fast shipping



Low MOQ

Start small, grow at
your pace



OEM

Your brand on
every product



Prewound Bobbins Style A



Size	Sides	Specification of the thread on the bobbins	Thread Color	Meters of each bobbin (Approx.)
A	Plastic-sided	75D/2 Filament Polyester Thread	White	125 meters
A	Plastic-sided	75D/2 Filament Polyester Thread	Black	125 meters
A	Plastic-sided	70D/2 High Tensity Polyester Thread	White	125 meters
A	Plastic-sided	70D/2 High Tensity Polyester Thread	Black	125 meters
A	Plastic-sided	60S/2 Spun Polyester Thread	White	90 meters
A	Plastic-sided	60S/2 Spun Polyester Thread	Black	90 meters




Prewound Bobbins Style L

Size	Sides	Specification of the thread on the bobbins	Thread Color	Meters of each bobbin (Approx.)
L	Sideless without Core	75D/2 Filament Polyester Thread	White	145 meters
L	Sideless without Core	75D/2 Filament Polyester Thread	Black	140 meters
L	Sideless without Core	70D/2 High tenacity Polyester Thread	White	145 meters
L	Sideless without Core	70D/2 High tenacity Polyester Thread	Black	140 meters
L	Cardboard-sided	75D/2 Filament Polyester Thread	White	110 meters
L	Cardboard-sided	75D/2 Filament Polyester Thread	Black	110 meters
L	Cardboard-sided	70D/2 High tenacity Polyester Thread	White	110 meters
L	Cardboard-sided	70D/2 High tenacity Polyester Thread	Black	110 meters
L	Plastic-sided	75D/2 Filament Polyester Thread	White	100 meters
L	Plastic-sided	75D/2 Filament Polyester Thread	Black	100 meters
L	Plastic-sided	70D/2 High tenacity Polyester Thread	White	100 meters
L	Plastic-sided	70D/2 High tenacity Polyester Thread	Black	100 meters
L	Plastic-sided	60S/2 Spun Polyester Thread	White	55 meters
L	Plastic-sided	60S/2 Spun Polyester Thread	Black	55 meters





Prewound Bobbins Style M



Size	Sides	Specification of the thread on the bobbins	Thread Color	Meters of each bobbin (Approx.)
M	Sideless without Core	75D/2 Filament Polyester Thread	White	235 meters
M	Sideless without Core	75D/2 Filament Polyester Thread	Black	230 meters
M	Sideless without Core	70D/2 High tenacity Polyester Thread	White	235 meters
M	Sideless without Core	70D/2 High tenacity Polyester Thread	Black	230 meters
M	Cardboard-sided	75D/2 Filament Polyester Thread	White	175 meters
M	Cardboard-sided	75D/2 Filament Polyester Thread	Black	172 meters
M	Cardboard-sided	70D/2 High tenacity Polyester Thread	White	175 meters
M	Cardboard-sided	70D/2 High tenacity Polyester Thread	Black	172 meters
M	Sideless	210D/1 Nylon 66 Thread	Raw white	
M	Sideless	420D/1 Nylon 66 Thread	Raw white	
M	Sideless	630D/1 Nylon 66 Thread	Raw white	
M	Sideless	210D/2 Nylon 66 Thread	Raw white	
M	Sideless	210D/3 Nylon 66 Thread	Raw white	
M	Cardboard-sided	210D/1 Nylon 66 Thread	Raw white	
M	Cardboard-sided	420D/1 Nylon 66 Thread	Raw white	
M	Cardboard-sided	630D/1 Nylon 66 Thread	Raw white	
M	Cardboard-sided	210D/2 Nylon 66 Thread	Raw white	
M	Cardboard-sided	210D/3 Nylon 66 Thread	Raw white	



Prewound Bobbins Style G

Size	Sides	Specification of the thread on the bobbins	Thread Color
G	Sideless	210D/1 Nylon 66 Thread	Raw white
G	Sideless	420D/1 Nylon 66 Thread	Raw white
G	Sideless	630D/1 Nylon 66 Thread	Raw white
G	Sideless	210D/2 Nylon 66 Thread	Raw white
G	Sideless	210D/3 Nylon 66 Thread	Raw white
G	Cardboard-sided	210D/1 Nylon 66 Thread	Raw white
G	Cardboard-sided	420D/1 Nylon 66 Thread	Raw white
G	Cardboard-sided	630D/1 Nylon 66 Thread	Raw white
G	Cardboard-sided	210D/2 Nylon 66 Thread	Raw white
G	Cardboard-sided	210D/3 Nylon 66 Thread	Raw white





EVA Foam for 3D Embroidery



- Creates bold, raised 3D embroidery designs
- Multiple thicknesses and formats — Available in 2mm, 3mm, 4mm, 5mm and 6mm thickness; sticky-back version for easy peel-and-stick positioning.
- Non-toxic, water-resistant, and machine washable.
- Easy to cut and stitch through
- Soft and hard densities available.



Cut-away Stabilizer

- #7055, No Show Mesh (Invisible), Nylon 1.9oz.
- #7055F, Fusible No Show Mesh Cut Away Stabilizer
- #CS1080, 2.8oz, Cutaway Stabilizer for embroidery backing.
- # CS1080F Fusible Iron on Cut Away Stabilizer
-

Precut sheets or small rolls are all available.:





Tear-away Stabilizer

- #3050 cotton embroidery backing, 1.8oz
- #3050F Fusible Iron-on, cotton embroidery backing, 1.8oz
- Iron-on tear-away stabilizer, 25-150gsm, polyester.
- #THH1076, polyester embroidery backing.

Precut sheets or small rolls are all available.:



Water soluble Stabilizer/Topping

- #SN040, water soluble embroidery backing.
- #SF035, 35µm embroidery topping.
- #SF090, 90µm embroidery topping.

Precut sheets or small rolls are all available.:





Sticky Stabilizer and Stich Cover

- #SM50, Soft and Cozy Embroidery Stitch Cover, Fusible Iron-on Stabilizer, 100% Polyester, 50GSM
- 40 gsm sticky water soluble washaway embroidery backing, Hoopless, Free Standing Lace, Printable.
- Sticky Tear-away Stabilizer, 100% Polyester, 50gsm

Precut sheets or small rolls are all available.:





Polyester Embroidery Thread



- Made with high tensile low shrinkage trilobal filament polyester yarn.
- Matching Brother /Janome /Madeira colors, assorted sets.
- Twice higher strength, and higher friction resistance than rayon embroidery thread.
- Superior abrasion resistance and excellent lustre for demanding end-uses.
- Extremely high colour fastness and chemical resistance against frequent laundry. Different packagings are available.

Main Application

- Children's wear
- Workwear
- Team logo on sportswear
- Home textile
- Jeans
- Caps
- Bags
- Curtains
- Decorative seams

Farbic App	Tex Size	Yarn Constr.	Ticket	Make-up	Cone Size
Light Weight	T27	120D/2	120	500M 1000M	2.17"/5.5cm mini king Spool
Light Weight	T27	120D/2	120	5000M	4"/62mm Spool
Medium Weight	T35	150D/2	80	5000Y	4"/62mm Spool
Heavy Weight	T70	300D/2	40	250G	4"/80mm Spool



Bonded Nylon Thread

- Made of high tensile Polymaide 6.6 continuous filament.
- Bonded by a special resin and lubricated by Graf silicone wax.
- Cuts cleanly at thread trimming with no ply separation.
- Extremely durable and outstanding sewing properties.
- Perfect for multidirectional sewing.
- Soft (interlinked) bonded nylon thread available.
- Monocord bonded nylon thread available.



Main Application

- Canvas • Leather goods • Leather footwear
- Furniture upholstery • Automotive • Outdoors and camping goods
- Luggage and travel goods • Bedding and Mattress • Military goods and supplies
- Industrial lifting slings • Filtration • Hair Weaving

Ticket NO.	Tex NO.	Construction	Diameter (MM)	Breaking Strength(KG)	Elongation Range%	Length/N.W (m/g)
60/3	45	150D/3	0.25	≥3.1	26~36	1820/100
60/2	45	210D/2	0.24	≥2.9	26~36	1950/100
40	70	210D/3	0.32	≥3.8	25~35	1300/100
30	90	280D/3	0.34	≥5.6	25~35	950/100
20	135	420D/3	0.45	≥8.8	25~34	650/100
15	210	630D/3	0.5	≥11.2	24~33	450/100
10	270	840D/3	0.6	≥15.9	23~32	320/100



Nylon 6.6 Sewing Thread



- Made from pre-stabilised continuous filament nylon 6.6.
- 30% stronger than ordinary nylon 6.0 thread. The higher strength to fineness ratio make very fine seams possible in footwear and other applications.
- Have controlled stretch characteristics and a soft, low friction finish which reduces the effects of needle heat and offers excellent abrasion resistance.
- Excellent loop formation, consistent stitch formation and neat seam appearance.

Ticket NO.	Tex NO.	Construction	Diameter (MM)	Breaking Strength(KG)	Elongation Range%	Length/N.W (m/g)
60	45	210D/2	0.24	≥3.2	18~26	1950/100
40	70	210D/3	0.32	≥4.6	20~28	1300/100
30	90	280D/3	0.34	≥6.1	22~30	950/100
20	135	420D/3	0.45	≥10.1	25~33	650/100
15	210	630D/3	0.5	≥14.7	24~34	450/100
10	270	840D/3	0.6	≥20.7	24~34	320/100
8	350	1000D/3	0.7	≥23.9	24~34	270/100

Main Application

- Suitable for garment dye programmes with nylon 6.6 fabrics
- Leather goods
- Outdoor goods and sports equipment
- Seat belts
- Automotive
- Mattresses
- Footwear
- Luggage and travel goods
- Filtration
- Multineedle quilting
- Protective footwear

High Tenacity Polyester Filament Sewing Thread



SEWINGLEADER

Sew Your Imagination!



- Made of twisted high tensile polyester continuous filament.
- Lubricated by Graf silicone wax by 4-5% to make sewing smoothly on high speed.
- UV resistance, high strength and affordable price make it universal threads for all leathers and beyond.
- The soft finish with superior low friction lubrication reduces the effects of needle heat and abrasion.
- Excellent loop formation, consistent stitch formation and neat seam appearance.

Main Application

- Canvas
- Down jacket, leather coats, shirts
- Bedding and Mattress
- Military applications
- Applications requiring vinyl and chlorine bleach-fastness
- Leather footwear
- Auto/Marine upholstery
- Luggage and Handbags
- Belts
- Tents
- Outdoor furnitures
- Marine upholstery
- Automotive interiors

Ticket NO.	Tex NO.	Construction	Diameter (MM)	Breaking Strength(KG)	Elongation Range(%)	Length/N.W (meters/grams)
180/3	16	70D/3	0.14	≥1.5	11~20	4000/100
180/2	16	120D/2	0.15	≥1.5	11~20	3650/100
80/3	35	100D/3	0.22	≥2.3	11~20	2750/100
80/3	35	120D/3	0.23	≥2.3	11~20	2090/100
80/2	30	150D/2	0.22	≥2.0	11~20	2750/100
60/3	45	150D/3	0.25	≥2.9	11~20	1800/100
60/2	45	210D/2	0.24	≥2.5	11~20	1850/100
60/2	45	250D/2	0.28	≥3.0	11~20	1550/100
40	70	210D/3	0.32	≥3.7	11~20	1230/100
30	90	250D/3	0.33	≥4.5	11~20	1050/100
		210D/1*4	0.36	≥5.1	11~20	910/100
		250D/1*4	0.4	≥6.0	11~20	775/100
		420D/2	0.36	≥5.1	11~20	910/100
		500D/2	0.4	≥6.0	11~20	775/100
		300D/3	0.38	≥5.6	11~20	900/100
20	135	420D/3	0.45	≥7.6	11~20	640/100
16	150	500D/3	0.48	≥9.1	11~20	550/100
12		630D/3	0.5	≥12	11~20	440/100
12	240	750D/3	0.55	≥14	11~20	350/100
10	270	840D/3	0.6	≥16	11~20	320/100
8	350	1000D/3	0.7	≥18	11~20	260/100
7	450	1000D/1*4	0.93	≥24	11~20	205/100
		1260D/3	0.8	≥23	11~20	217/100
		1260D/1*4	1	≥31	11~20	146/100
		1470D/3	0.9	≥25	11~20	186/100
		1680D/3	1	≥31	11~20	146/100
		2100D/3	1.2	≥38	11~20	116/100
		2520D/3	1.3	≥45	11~20	98/100



Bonded Polyester Thread



- Made of twisted high tensile polyester continuous filament.
 - Bonded by a special resin and Lubricated by Graf silicone wax.
 - The bonding prevents fraying at a cut end, offers abrasion and overheating protection.
 - Excellent UV protection, ideally for harsh weather condition sewing demands.
 - Extremely durable and outstanding sewing properties.
 - Perfect for multidirectional sewing.
- Soft Bonded Polyester Thread also available.

Ticket NO.	Tex NO.	Construction	Diameter (MM)	Breaking Strength(KG)	Elongation Range%	Length/N.W(m/g)
60	45	150D/3	0.25	≥3.2	11-20	1800/100
40	70	210D/3	0.32	≥4.5	11-20	1230/100
30	90	250D/3	0.33	≥5	11-20	1050/100
		280D/3	0.35	≥5.8	11-20	950/100
		300D/3	0.39	≥6.2	11-20	900/100
20	35	420D/3	0.45	≥9.0	11-20	640/100
16	150	500D/3	0.48	≥10.8	11-20	550/100
12	240	630D/3	0.5	≥13.6	11-20	440/100
10	270	840D/3	0.6	≥18.1	11-20	320/100
8	350	1000D/3	0.7	≥21.6	11-20	260/100
		1260D/3	0.8	≥26.46	11-20	217/100

Main Application

- Canvas
- Leather footwear
- Airbags
- Military applications
- Applications requiring vinyl and chlorine bleach-fastnesss
- Shoes
- Auto/Marine upholstery
- Luggage and Handbags
- Belts
- Tents
- Outdoor furnitures
- Marine Leathers

Poly/Poly Corespun Sewing Thread



- Made with continuous filament polyester core and Polyester staple wrap.
- 10% to 15% higher strength than cotton wrapped polyester core sewing thread.
- 40% to 50% higher strength than staple spun sewing threads.
- High tenacity core allows to use a finer thread size improving seam appearance.
- Excellent sewability on manual and automatic multi-directional sewing machines.
- Superior seam strength and chemical resistance.
- Superior needle heat resistance, abrasion resistance & durability



Main Application

- Fashion apparel
- Jeanswear
- Blouses and shirts
- Various leather articles
- Jackets and dress slacks
- Lingerie and swimsuits
- Uniforms and workwear

Global Offer Tex No.	Ticket No.	Yarn Counts(Cn)	Average Strength CN	Elongation%Min-Max	Recommended Needle Size /Metric
18	180	62S/2	980	17-22	65-75
21	150	50S/2	1080	17-22	70-90
24	120	45S/2	1, 190	17-22	70-90
27	100	40S/2	1, 490	17-22	75-90
40	80	28S/2	1, 960	18-24	75-90
40*	80	40S/3	1, 780	18-24	75-90
60	50	20S/2	3, 530	18-25	100-120
60*	50	28S/3	3, 040	18-25	100-120
80	40	16S/2	3, 940	18-25	100-120
105	30	20S/3	4, 790	18-25	110-130
105	28	12S/2	5, 910	18-25	110-130
120	25	16S/3	6, 080	18-25	120-140
135	20	12S/3	7, 150	18-25	120-140
150	18	16S/4	8, 040	18-25	130-160

Cotton/Poly Corespun Sewing Thread



- Made with continuous filament polyester core and cotton staple wrap.
- 30% to 40% higher strength than staple spun sewing threads.
- A softer “hand” or feel and A matte finish stitch appearance
- High tenacity core allows to use a finer thread sizes improving seam appearance.
- Excellent sewability on manual and automatic multi-directional sewing machines.
- Excellent wash-down characteristics make it ideal for denimwear and jeans.
- Superior needle heat resistance, abrasion resistance & durability.

Main Application

- Classic denimwear and jeans
- Heavy duty outdoor wear and cargo pants
- Workwear
- Furniture upholstery and leathers
- For soft, natural feel seams on fine cotton fabrics and for premium lingerie
- High speed sewing operations for towels and home furnishings
- Superior needle heat resistance, abrasion resistance & durability

Global OfferTex No.	Ticket No.	Yarn Counts(Cn)	Average Strength cN	Elongation% Min-Max	Recommended Needle Size Metric
21	180	62S/2	840	13-18	65-75
24	120	45S/2	1040	18-22	75-90
27	100	40S/2	1320	18-22	75-90
40	75	29S/2	1860	18-24	90-100
60	50	29S/3	2840	18-24	100-120
80	40	16S/2	3530	18-24	110-130
105	30	20S/3	3720	18-24	110-130
120	25	16S/3	5390	20-26	120-140
150	18	12S/3	7150	20-26	120-140

Metallic Embroidery Thread



- Made of Japanese metallized polyester membrane twisted with nylon, rayon or polyester core.
- Coated with Aluminum or pure Silver to achieve excellent color fastness and glorious gloss.
- More than 50 colors are available, including solid and variegated colors.
- High strength of anti-breaking suitable for high speed sewing to enhance producing efficiency.
- Endure jeans' bleaching, rubbing and washing, suitable for army clothes as special threads.
- We keep stock of this thread for fast and small orders, 125g/Cone.

Main Application

- Suitable for all kinds of fabric
- Embroidery, Quilting, and Decorative Stitching
- Machine embroidery, decorative stitches
- Decorative applications on apparel

Count: 260dtex

Packing: 700m/spool, 125g/cone, 5000M/cone


Type	Thickness/Dtex	Core	Coating
STA	258	35%Polyester 65%Rayon	Aluminum
STJ	231	23%Polyester 77%Rayon	Aluminum
STL	310	25%Polyester 75%Rayon	Aluminum
STG	260	35%Polyester 65%Rayon	Silver
STU	260	35%Polyester 65%Rayon	Silver and Resin
SN	264	36%Polyester 22%Paper 42%Nylon	Silver



Glow In The Dark Thread



- Made from 150D/2 Polyester embroidery Thread and.
- Combined with the glowing agent from the first steps of the creation process.
- For Machine Embroidery/Sewing.
- Adding highlights to your project.
- 15 Glowing Colors available.



Main Application

- Developing new textile products
- Fashion apparel
- Latchet
- Exquisite products
- Handbag
- Outdoor appliance

Spool size: 500yds, 1000yds, 3000yds, 500g, 2kg



Spun Polyester Sewing Thread

- Made from staple fibers that are plied and twisted.
- High level of colour fastness.
- Reduced machine downtime, higher productivity and consistent sewing performance.
- Low fault levels and dependable thread quality with everywhere availability.
- Meets the highest environmental and safety standards.



Main Application

- Apparel
- Dresses
- Jackets
- Blouses
- Neckties
- Denim / Jeans
- Bras
- Hosiery
- Underwear

Tex No.	Ticket No.	Yarn Counts(Ne)	Ndl Sz Min Sz	Fabric
18	180	60S/2	55/7	Ex-Light Weight
21	140	80S/3	60/8	
21	140	50S/2	60/8	
27	120	60S/3	65/9	Light Weight
27	120	40S/2	65/9	
30	90	50S/3	80/12	
40	75	30S/2	90/14	Medium Weight
45	75	40S/3	90/14	
60	50	20S/2	100/16	
60	50	30S/3	100/16	X-heavy Weight
90	36	20S/3	120/20	
120	25	20S/4	140/22	
135	20	12S/3	160/23	
180	16	20S/6	180/24	
270	11	20S/9	200/25	



Mercerized Cotton Thread



- Made of 100% long staple Egyptian cotton yarn
- Double mercerized for less fuzzy thread and more lustre
- Good sewability, low elongation, classic sewing thread for cotton apprels.
- Premium moisture absorption, excellent heat resistance,
- Raw white thread can be dyed together with the cotton garment in same color

Main Application

- For high level sewing demand of all cotton garment
- Embroidery • Quilting

Global Offer Tex No.	Ticket No.(Nm)	Yarn Counts	Average Strength cN
45	75	40S/3	1,320
60	50	30S/3	2,840
90	36	20S/3	3,720
120	25	15S/3	5,390
135	20	12S/3	7,150
180	16	20S/6	5,390
270	11	20S/9	7,150



Rayon Embroidery Thread

- Made of first quality Viscose Rayon filament yarn.
- Classic thread for high speed multi-head embroidery machine.
- Brilliant lustre, elegant hand feeling, excellent color fastness.
- Owns the same high sheen and natural finish as silk thread but less weight and expensive.



Main Application

- Machine embroidery for lingerie, women's fashion, children's wear, caps etc.
- Craft
- Decorative stitching
- Monograms
- Lace
- Weaving and Knitting
- Applique

Farbic Application	Tex Size	Yarn Construc-	Ticket	Make-up	ConeSize
LightWeight	T27	120D/2	120	5000M	4"/62mm Spool
Medium Weight	T35	150D/2	80	5000Y	4"/62mmSpool
Heavy Weight	T70	300D/2	40	250G	4"/80mmSpool
Heavy Weight	T105	300D/3	30	150G	4"/62mmSpool
EX-Heavy Weight	T210	300D/2X3	15	100G	4"/50mmSpool
EX-Heavy Weight	T210	600D/3	15	50G	3"/50mmSpool
	T35	300D/1	80	1KG	6"Paper Cone
	T45	450D/1	60	500G	6"Paper Cone
	T70	600D/1	40	900g	6"Paper Cone

Pearl Cotton Embroidery Thread In Ball



SEWINGLEADER

Sew Your Imagination!



- Made with 100% long staple Egyptian cotton yarn to assure the premium quality.
- Singed and double mercerized to achieve lovely pearlized sheen.
- Good color fastness, excellent sewability, lustrous.
- Color Standard: DMC, Anchor and color swatches of the buyers.
- Available in solid and overdyed colors.

Main Application

- Cross Stitch
- Punch needle
- Craft projects and activities
- Hand Embroidery
- Needlepoint
- Household sewing

Size	Weight/ grams	Packing PCS/Box
3	50	5
5	10	10
8	10	10
10	25	10
12	25	10
20	25	10
40	25	10
80	10	10



Reflective Thread

- Made of reflective yarn and polyester mix.
- Excellent strength and durability.
- The daytime colour is silver and when illuminated by light the reflected colour is white.
- Bonding technology safeguards against ply untwisting in multi directional sewing.
- Lubricated finish for needle heat protection and smooth sewing.

Main Application

- Packing gifts safety samples
- Embroidery embellishment
- Security uniforms
- Clothing
- Home textiles
- Security products

Main Thickness

0.2MM 0.25MM 0.368MM 0.5MM

Packing

1000Y, 100G





Water Soluble Thread



- Made from a special fibrous blend of Polyvinyl Alcohol.
- Divide into 20 degree, 40degree, 70degree, 80degree, instant and 90 degree .
- Have good acid antalkali resistance.
- Resistance to hot and dry performance.
- Tasteless, non-toxic, aqueous solution was colorless and transparent when dissolving.

Main Application

- Machine or hand basting
- Quilting
- Heirloom
- Laundry bags
- Trapunto
- Applique
- Seperation of Fishing nets
- Numerous other uses

Temperature	Main Specification	Packing
20 degree	20s 40s 50s 60s	1000M 3000M 4000M 5000M,1KG
40 degree	20s 40s 60s 80s	
80 degree	20s 40s 60s 80s	
90 degree	20s 40s 45s 60s 80s 100s	



Raw White Sewing Thread ready for cone dyeing

- Nylon, polyester filament, spun poly, corespun sewing thread
- Wound on Plastic Dyeing Tubes



Size of Tubes	Loading Weight	PCS/CTN
170MMX46MM	1.0KGS	24
210MMX56MM	1.5KGS	12



Nylon Invisible Thread



- Made of high tenacity Polyamide Monofilament Yarn
- High strength, low stretch, designed for true invisible
- Transparent clear thread for blind stitching on any colored fabrics.

Main Application

- Blind Stitching
- Machine Quilting
- Machine Beadwork
- Filtration Cloth, mesh
- Bobbins
- Hand Sewing

Product	Dia(mm)	Denier(D)	Packing
Nylon monofilament yarn	0.05	25	90g
	0.07	40	90g
	0.09	65	90g
	0.1	80	90g
	0.11	100	90g
	0.12	120	90g,200m
	0.14	140	90g
	0.15	180	90g,200m
	0.18	250	90g
	0.2	320	90g
	0.25	500	90g
	0.3	720	90g
	Above 0.50	Above2000	90g



Cotton Embroidery Floss

- Made with 100% long staple Egyptian cotton yarn to assure the premium quality.
- Singed and double mercerized to achieve the high and soft sheen and tensile strength.
- Size 25, six strands, 8 meters long, guaranteed colorfast and fade resistant.
- Color Standard: DMC, Anchor and color swatches of the buyers.
- Knot-free, tangle free.
- Excellent sewability on manual, abrasion resistance & durability.
- Available in plain and variegated colors.

Main Application

- Cross Stitch
- Punch needle
- Craft projects and activities
- Hand Embroidery
- Needlepoint
- Household sewing



Grace Binn

Marketing Director

SEWINGLEADER CO., LTD.



☎ +86-18588260606

✉ Grace@SewingLeader.com

📍 1010 U.5 Bldg.2 YujingHuidu BaoHe Rd.
LongGang 518116 Shenzhen China



SEWINGLEADER

Sew Your Imagination!

www.SewingLeader.com

www.SewingBobbin.com

Thanks for watching!